


4b - ALTERNATIVE DOOR JAMB SECTION  
SCALE 1 : 2

- \* FOR STUD FIXING DETAILS REFER TO TYPICAL TOP HAT FIXING DETAILS PACKAGE
- \*\* NON-COMBUSTIBLE PACKERS OR TOP HAT CLEAT SYSTEM AS REQUIRED
- \*\*\* CAVITY FIRE BARRIER TYPE AND INSTALLATION TO MEET CAVITY SIZE REQUIREMENTS AND SUPPLIERS GUIDELINES
- \*\*\*\* DESIGNERS TO ASSESS REQUIREMENTS FOR SLOTTED HOLE PANEL FIXING TO ADDRESS THERMAL PERFORMANCE

NOTES:

Specifications  
000-AC-GF-DWG-0101, 0102, 0103,  
0104, 0105, 0107, 0108, 3011



Detail 4  
000-AC-GF-DWG-3201

LEGEND:

- EXISTING STRUCTURE NOT SUBJECT TO REMEDIAL WORKS
- APPROXIMATE LOCATION OF EXISTING WALL CLADDING



TITLE		DOOR JAMB DETAILS 4b	
CLADDING		SOLID ALUMINIUM	
SUBSTRATE		STEEL FRAMING	Rev
DWG NUMBER		000-AC-GF-DWG-3241	7