


12 - BOTTOM OF CLADDING SECTION


SCALE 1 : 2

- * FOR STUD FIXING DETAILS REFER TO TYPICAL TOP HAT FIXING DETAILS PACKAGE
- ** NON-COMBUSTIBLE PACKERS OR TOP HAT CLEAT SYSTEM AS REQUIRED
- *** DESIGNERS TO ASSESS REQUIREMENTS FOR SLOTTED HOLE PANEL FIXING TO ADDRESS THERMAL PERFORMANCE



Detail A

Scale 1:1



Alternative Detail A2


Scale 1:2

FILL SPACE WITH AGGREGATE CONCRETE OR SIMILAR PROVIDE SURFACE FALL AWAY FROM BUILDING

NOTES:

Specifications

000-AC-GF-DWG-0101, 0102, 0103, 0104, 0105, 0107, 0108, 3011




Detail 12

000-AC-GF-DWG-3201

LEGEND:

- EXISTING STRUCTURE NOT SUBJECT TO REMEDIAL WORKS
- APPROXIMATE LOCATION OF EXISTING WALL CLADDING



TITLE	BOTTOM OF CLADDING DETAIL	
CLADDING	SOLID ALUMINIUM	
SUBSTRATE	STEEL FRAMING	Rev
DWG NUMBER	000-AC-GF-DWG-3294	2