

Project Remediate
Pattern Book Drawing Register & Transmittal
3-May-23

Issues	
26-Nov-21	
08-Dec-21	
09-Dec-21	
10-Dec-21	
31-Jan-22	
15-Feb-22	
18-Feb-22	
11-Mar-22	
25-Mar-22	
27-Apr-22	
22-Jun-22	
1-Jul-22	
26-Jul-22	
3-May-23	

No.	No.	Drawing Number	Drawing Title
1	1	000-AC-GF-DWG-0000	Content page
2	2	000-AC-GF-DWG-0001	Preamble
3	3	000-AC-GF-DWG-0002	List of drawings
4	4	000-AC-GF-DWG-0003	Drawing numbering navigation flowchart
5	5	000-AC-GF-DWG-0009	Cover sheet and drawings list
6	6	000-AC-GF-DWG-0010	Top hat to existing concrete type 1
7	7	000-AC-GF-DWG-0011	Top hat to existing concrete type 2
8	8	000-AC-GF-DWG-0012	Top hat to existing concrete type 3
9	9	000-AC-GF-DWG-0013	Top hat to existing concrete type 4
10	10	000-AC-GF-DWG-0014	Top hat to existing concrete type 5
11	11	000-AC-GF-DWG-0020	Top hat to existing Hebel block 1
12	12	000-AC-GF-DWG-0021	Top hat to existing Hebel block 2
13	13	000-AC-GF-DWG-0030	Top hat to existing solid block 1
14	14	000-AC-GF-DWG-0031	Top hat to existing solid block 2
15	15	000-AC-GF-DWG-0032	Top hat to existing solid block 3
16	16	000-AC-GF-DWG-0033	Top hat to existing solid block 4
17	17	000-AC-GF-DWG-0034	Top hat to existing solid block 5
18	18	000-AC-GF-DWG-0040	Top hat to existing solid brick 1
19	19	000-AC-GF-DWG-0041	Top hat to existing solid brick 2
20	20	000-AC-GF-DWG-0042	Top hat to existing solid brick 3
21	21	000-AC-GF-DWG-0043	Top hat to existing solid brick 4
22	22	000-AC-GF-DWG-0044	Top hat to existing solid brick 5
23	23	000-AC-GF-DWG-0050	Top hat to existing hollow block 1
24	24	000-AC-GF-DWG-0051	Top hat to existing hollow block 2
25	25	000-AC-GF-DWG-0052	Top hat to existing hollow block 3
26	26	000-AC-GF-DWG-0053	Top hat to existing hollow block 4
27	27	000-AC-GF-DWG-0060	Top hat to existing extruded brick 1
28	28	000-AC-GF-DWG-0061	Top hat to existing extruded brick 2
29	29	000-AC-GF-DWG-0062	Top hat to existing extruded brick 3
30	30	000-AC-GF-DWG-0063	Top hat to existing extruded brick 4
31	31	000-AC-GF-DWG-0070	Top hat to existing stud wall 1
32	32	000-AC-GF-DWG-0071	Top hat to existing stud wall 2

Series		0100	Specifications																
No.	No.	Drawing Number	Drawing Title																
33	1	000-AC-GF-DWG-0100	Content page - Specifications										1	2			3	3	3
34	2	000-AC-GF-DWG-0101	Material specification - Sarking										1	2			3	3	4
35	3	000-AC-GF-DWG-0102	Material specification - Hot-dip galvanised coating										1	2			3	3	3
36	4	000-AC-GF-DWG-0103	Material specification - Self-tapping screws										1	2			3	3	3
37	5	000-AC-GF-DWG-0104	Material specification - Masonry anchors										1	2	3		4	4	4
38	6	000-AC-GF-DWG-0105	Material specification - Cavity barriers										1	2	3	4	4	4	5
39	7	000-AC-GF-DWG-0107	Material specification - Sealant for metal cladding facades										1	2			3	3	3
40	8	000-AC-GF-DWG-0108	Material specification - Low modulus hybrid sealant										1	2			3	3	3
41	9	000-AC-GF-DWG-0109	Material specification - Insulation											1		2	2	2	2

[illegible][illegible]

Series 0400 Cavity barriers

No.	No.	Drawing Number	Drawing Title														
69	1	000-AC-GF-DWG-0400	Content page														1
70	2	000-AC-GF-DWG-0401	Approved document B adopted by Project Remediate														1
71	3	000-AC-GF-DWG-0402	Open state cavity barrier description														1
72	4	000-AC-GF-DWG-0403	Close state cavity barrier description														1
73	5	000-AC-GF-DWG-0404	Cavity barriers. Locations recommended by CPSP panel														1
74	6	000-AC-GF-DWG-0410	Cavity barriers around window opening														1
75	7	000-AC-GF-DWG-0411	Cavity barriers around door opening														1
76	8	000-AC-GF-DWG-0412	Cavity barriers at balcony slabs														1
77	9	000-AC-GF-DWG-0413	Cavity barriers at cladding termination														1
78	10	000-AC-GF-DWG-0414	Cavity barriers at fire compartments														1

Series 1000 & 1100 Cement Render Generic and on Masonry Substrate

No.	No.	Drawing Number	Drawing Title														
79	1	000-AC-GF-DWG-1000	Content page	1	2			3	4	4	5			6	6	6	6
80	2	000-AC-GF-DWG-1001	Standards and tests	1	2			3	4	4	5			6	6	6	6
81	3	000-AC-GF-DWG-1010	Material specification	1	2			3		3	4			5	5	5	5
82	4	000-AC-GF-DWG-1101	Standard rendered elevation	1	2			3	4	4	5			6	6	6	6
83	5	000-AC-GF-DWG-1110	Window jamb detail 1a	1	2			3	4	4	5	6		7	7	7	7
84	6	000-AC-GF-DWG-1111	Window jamb detail 1b		1			2	3	3	4	5		6	6	6	6
85	7	000-AC-GF-DWG-1120	Window head detail 2a	1	2			3	4	4	5	6		7	7	7	7
86	8	000-AC-GF-DWG-1121	Window head detail 2b		1			2	3	3	4	5		6	6	6	6
87	9	000-AC-GF-DWG-1130	Window sill detail 3a	1	2			3	4	4	5	6		7	7	8	8
88	10	000-AC-GF-DWG-1131	Window sill detail 3b		1			2	3	3	4	5		6	6	6	6
89	11	000-AC-GF-DWG-1140	Door jamb detail 4a	1	2			3	4	4	5	6		7	7	7	7
90	12	000-AC-GF-DWG-1141	Door jamb detail 4b		1			2	3	3	4	5		6	6	6	6
91	13	000-AC-GF-DWG-1150	Door head detail 5a	1	2			3	4	4	5	6		7	7	7	7
92	14	000-AC-GF-DWG-1151	Door head detail 5b		1			2	3	3	4	5		6	6	6	6
93	15	000-AC-GF-DWG-1160	Parapet detail	1	2			3	4	4	5	6		7	7	8	8
94	16	000-AC-GF-DWG-1170	Balcony details	1	2			3	4	4	5	6		7	7	8	8
95	17	000-AC-GF-DWG-1180	Soffit details	1	2			3	4	4	5	6		7	7	7	7
96	18	000-AC-GF-DWG-1181	Roof soffit detail		1			2	3	3	4	5		6	6	6	6
97	19	000-AC-GF-DWG-1190	Expansion joint details	1	2			3	4	4	5	6		7	7	7	7
98	20	000-AC-GF-DWG-1191	V-joint detail	1	2			3	4	4	5	6		6	6	6	6
99	21	000-AC-GF-DWG-1192	Corner detail	1	2			3	4	4	5	6		7	7	7	7
100	22	000-AC-GF-DWG-1193	Bottom of façade detail		1			2	3	3	4	5		6	6	6	6

Series 2000 CFC Cladding Generic

No.	No.	Drawing Number	Drawing Title														
101	1	000-AC-GF-DWG-2000	Content page	1				2		2	3			4	4	5	5
102	2	000-AC-GF-DWG-2001	Schedule of standards	1				2	3	3	4			5	5	6	6
103	3	000-AC-GF-DWG-2040	Top hat system engineering design	1				2		2	3			4	4	4	4

Series 2100 CFC Cladding on Masonry Substrate

No.	No.	Drawing Number	Drawing Title														
104	1	000-AC-GF-DWG-2100	Content page	1		2		3		3	4	5		6	7	7	7
105	2	000-AC-GF-DWG-2101	Standard elevation	1		2		3	4	4	5		6	7	8	8	8
106	3	000-AC-GF-DWG-2110	Window jamb detail 1a	1		2		3	4	4	5			6	6	6	6
107	4	000-AC-GF-DWG-2111	Window jamb detail 1b	1		2		3	4	4	5			6	6	6	6
108	5	000-AC-GF-DWG-2112	Window jamb detail 1c					1	2	2	3			4	4	4	4
109	6	000-AC-GF-DWG-2120	Window head detail 2a	1		2		3	4	4	5			6	6	6	6
110	7	000-AC-GF-DWG-2121	Window head detail 2b	1		2		3	4	4	5			6	6	6	6
111	8	000-AC-GF-DWG-2130	Window sill detail 3a	1		2		3	4	4	5			6	6	6	6
112	9	000-AC-GF-DWG-2131	Window sill detail 3b	1		2		3	4	4	5			6	6	7	7
113	10	000-AC-GF-DWG-2140	Door jamb detail	1		2		3	4	4	5			6	6	6	6
114	11	000-AC-GF-DWG-2150	Door head detail	1		2		3	4	4	5			6	6	6	6
115	12	000-AC-GF-DWG-2160	Parapet details	1		2		3	4	4	5	6		7	7	8	8
116	13	000-AC-GF-DWG-2170	Balcony edge detail									1		2	2	3	3
117	14	000-AC-GF-DWG-2180	External wall to soffit detail	1		2		3	4	4	5			6	6	6	6
118	15	000-AC-GF-DWG-2181	Roof soffit detail									1		2	2	2	2
119	16	000-AC-GF-DWG-2182	Wall head detail					1	2	2	3			4	4	4	4
120	17	000-AC-GF-DWG-2190	Vertical control joint detail	1		2		3	4	4	5	6		7	7	7	7
121	18	000-AC-GF-DWG-2191	Inter-storey horizontal movement joints	1		2		3	4	4	5			6	7	8	8
122	19	000-AC-GF-DWG-2192	External corner detail									1		2	2	2	2
123	20	000-AC-GF-DWG-2193	Bottom of cladding detail					1	2	2	3			4	4	4	4
124	21	000-AC-GF-DWG-2194	Bottom of cladding detail							1	1			2	2	2	2
125	22	000-AC-GF-DWG-2195	Vertical joint detail									1		2	2	2	2
126	23	000-AC-GF-DWG-2196	Internal corner detail											1	1		1

Series 2200 CFC Cladding on Steel Subframe

No.	No.	Drawing Number	Drawing Title														
127	1	000-AC-GF-DWG-2200	Content page	1				2	3		3	4	5		6	6	6
128	2	000-AC-GF-DWG-2201	Standard elevation	1				2	3	4	4	5		6	7	7	7
129	3	000-AC-GF-DWG-2210	Window jamb detail	1				2	3	4	4	5			6	6	6
130	4	000-AC-GF-DWG-2220	Window head detail	1				2	3	4	4	5			6	6	6
131	5	000-AC-GF-DWG-2230	Window sill detail	1				2	3	4	4	5			6	6	6
132	6	000-AC-GF-DWG-2240	Door jamb detail	1				2	3	4	4	5			6	6	6
133	7	000-AC-GF-DWG-2250	Door head detail	1				2	3	4	4	5			6	6	6
134	8	000-AC-GF-DWG-2260	Top of parapet detail	1				2	3	4	4	5	6		7	7	8
135	9	000-AC-GF-DWG-2270	Balcony edge detail										1		2	2	3
136	10	000-AC-GF-DWG-2280	Framed soffit detail	1				2	3	4	4	5			6	6	6
137	11	000-AC-GF-DWG-2281	Roof soffit detail										1		2	2	2
138	12	000-AC-GF-DWG-2282	Wall head detail	1				2	3	4	4	5			6	6	6
139	13	000-AC-GF-DWG-2290	Vertical control joint detail	1				2	3	4	4	5			6	6	6
140	14	000-AC-GF-DWG-2291	Inter-storey horizontal movement joints	1				2	3	4	4	5			6	6	6
141	15	000-AC-GF-DWG-2292	External corner detail										1		2	2	2
142	16	000-AC-GF-DWG-2293	Internal corner detail	1				2	3	4	4	5			6	6	6
143	17	000-AC-GF-DWG-2294	External corner detail - obtuse angle					1	2	2	3	4			5	5	5

144	18	000-AC-GF-DWG-2295	Bottom of cladding detail					1	2	2	3			4	4	4	4
145	19	000-AC-GF-DWG-2296	Vertical joint detail								1			2	2	2	2

Series		3000	Solid Aluminium Cladding Generic														
No.	No.	Drawing Number	Drawing Title														
146	1	000-AC-GF-DWG-3000	Content page	1				2	2	3	4			5	5	5	6
147	2	000-AC-GF-DWG-3001	Standards and tests	1				2	2	3	4			5	6	6	7
148	3	000-AC-GF-DWG-3011	Material specification - Aluminium								1	2		3	4	4	5
149	4	000-AC-GF-DWG-3020	Unstiffened panel detail	1				2	2	3	4			4	4	4	4
150	5	000-AC-GF-DWG-3023	Stiffener sheet span tables	1				2	2	3	4			5	5	5	5
151	6	000-AC-GF-DWG-3030	Horizontal panel joint details	1				2	2	3				4	4	4	5
152	7	000-AC-GF-DWG-3031	Vertical panel joint detail	1				2	2	3	4			5	5	5	6
153	8	000-AC-GF-DWG-3032	Vertical panel joint detail (panel with stiffeners)	1				2	2	3	4	5		6	6	6	7
154	9	000-AC-GF-DWG-3033	Stiffener corner detail	1				2	2	3	4			5	5	5	6
155	10	000-AC-GF-DWG-3034	Stiffener connections detail	1				2	2	3	4			5	5	5	6
156	11	000-AC-GF-DWG-3035	Stiffener connections detail	1				2	2	3	4	5		6	6	6	7
157	12	000-AC-GF-DWG-3040	Top hat system engineering design	1				2	2	3	4			5	5	5	5
158	13	000-AC-GF-DWG-3050	Curved panel detail	1				2	2	3				4	4	4	4
159	14	000-AC-GF-DWG-3051	Curved panel detail														1
160	15	000-AC-GF-DWG-3052	Stiffener sheet span tables								1			2	2	2	2
161	16	000-AC-GF-DWG-3054	Alternative stiffener connections detail								1			2	2	2	3
162	17	000-AC-GF-DWG-3055	Stiffener connection to panel detail								1			2	3	3	4
163	18	000-AC-GF-DWG-3056	Panel corner stiffener detail								1			2	3	3	4

Series		3100	Solid Aluminium Cladding on Masonry Substrate														
No.	No.	Drawing Number	Drawing Title														
164	1	000-AC-GF-DWG-3100	Content page	1	2			3	3	4				5	6	6	7
165	2	000-AC-GF-DWG-3101	Standard elevation	1	2			3	3	4	5			6	6	7	7
166	3	000-AC-GF-DWG-3110	Window jamb detail 1a	1	2			3	3	4				5	5	5	6
167	4	000-AC-GF-DWG-3111	Window jamb detail 1b		1			2	2	3				4	4	4	5
168	5	000-AC-GF-DWG-3112	Window jamb detail 1c		1			2	2	3				4	4	4	5
169	6	000-AC-GF-DWG-3120	Window head detail 2a	1	2			3	3	4				5	5	6	7
170	7	000-AC-GF-DWG-3121	Window head detail 2b		1			2	2	3				4	4	4	5
171	8	000-AC-GF-DWG-3130	Window sill detail 3a	1	2			3	3	4	5			6	6	7	8
172	9	000-AC-GF-DWG-3131	Window sill detail 3b		1			2	2	3	4			5	5	5	6
173	10	000-AC-GF-DWG-3140	Door jamb detail 4a	1	2			3	3	4				5	5	5	6
174	11	000-AC-GF-DWG-3141	Door jamb details 4b	1	2			3	3	4				5	5	5	6
175	12	000-AC-GF-DWG-3150	Door head detail 5a	1	2			3	3	4				5	5	5	6
176	13	000-AC-GF-DWG-3151	Door head detail 5b		1			2	2	3				4	4	4	5
177	14	000-AC-GF-DWG-3160	Parapet capping detail	1	2			3	3	4				5	5	6	7
178	15	000-AC-GF-DWG-3170	Balcony balustrade wall detail	1	2			3	3	4	5			6	6	7	8
179	16	000-AC-GF-DWG-3180	Soffit to wall detail	1	2			3	3	4				5	5	6	7
180	17	000-AC-GF-DWG-3181	Roof soffit detail		1			2	2	3				4	4	4	5
181	18	000-AC-GF-DWG-3191	External corner detail		1			2	2	3				3	4	5	6
182	19	000-AC-GF-DWG-3192	Internal corner detail											1	2	3	
183	20	000-AC-GF-DWG-3194	Bottom of cladding detail						1	1				2	2	3	4

Series		3200	Solid Aluminium Cladding on Steel Subframe														
No.	No.	Drawing Number	Drawing Title														
184	1	000-AC-GF-DWG-3200	Content page	1	2			3	3	3				4	4	5	6
185	2	000-AC-GF-DWG-3201	Standard elevation	1	2			3	3	4				5	5	6	7
186	3	000-AC-GF-DWG-3210	Window jamb detail 1a	1	2			3	3	4				5	5	5	6
187	4	000-AC-GF-DWG-3211	Window jamb detail 1b		1			2	2	3				4	5	5	6
188	5	000-AC-GF-DWG-3212	Window jamb detail 1c (Curtain wall system)														1
189	6	000-AC-GF-DWG-3220	Window head detail 2a	1	2			3	3	4				5	5	5	6
190	7	000-AC-GF-DWG-3221	Window head detail 2b		1			2	2	3				4	4	4	5
191	8	000-AC-GF-DWG-3222	Window head detail 2c (Curtain wall system)														1
192	9	000-AC-GF-DWG-3230	Window sill detail 3a	1	2			3	3	4	5			6	6	7	8
193	10	000-AC-GF-DWG-3231	Window sill detail 3b		1			2	2	3	4			5	5	5	6
194	11	000-AC-GF-DWG-3232	Window sill detail 3c (Curtain wall system)														1
195	12	000-AC-GF-DWG-3240	Door jamb detail 4a	1	2			3	3	4				5	5	5	6
196	13	000-AC-GF-DWG-3241	Door jamb details 4b	1	2			3	3	4				5	5	6	7
197	14	000-AC-GF-DWG-3250	Door head detail 5a	1	2			3	3	4				5	6	7	8
198	15	000-AC-GF-DWG-3251	Door head detail 5b		1			2	2	3				4	4	4	5
199	16	000-AC-GF-DWG-3260	Top of parapet details	1	2			3	3	4	5			6	6	7	8
200	17	000-AC-GF-DWG-3270	Balcony balustrade wall detail	1	2			3	3	4	5			6	6	7	8
201	18	000-AC-GF-DWG-3271	Balcony edge detail (Curtain wall system)														1
202	19	000-AC-GF-DWG-3280	Soffit detail	1	2			3	3	4	5			6	6	6	7
203	20	000-AC-GF-DWG-3281	Roof soffit detail	1	2			3	3	4	5			6	6	6	7
204	21	000-AC-GF-DWG-3282	Soffit detail 8c (Curtain wall system)														1
205	22	000-AC-GF-DWG-3290	Vertical joint detail (Curtain wall system)	1	2			3	3	4	5			6	6	7	8
206	23	000-AC-GF-DWG-3291	External corner detail													1	2
207	24	000-AC-GF-DWG-3292	Internal corner detail													1	2
208	25	000-AC-GF-DWG-3294	Bottom of cladding detail													1	2
209	26	000-AC-GF-DWG-3295	Horizontal joint detail (Curtain wall system)														1

Series		4000	Solid Metal Sheet Cladding Generic														
No.	No.	Drawing Number	Drawing Title														
210	1	000-AC-GF-DWG-4000	Content page					1	1	2				2	2	2	2
211	2	000-AC-GF-DWG-4001	Design standards					1	1	2				2	3	3	3

Series		4100	Solid Metal Sheet Cladding on Masonry Substrate														
No.	No.	Drawing Number	Drawing Title														
212	1	000-AC-GF-DWG-4100	Content page							1				1	2	2	2
213	2	000-AC-GF-DWG-4101	Standard elevation (Horizontal orientation)							1	2			2	3	3	3
214	3	000-AC-GF-DWG-4102	Standard elevation (Vertical orientation)							1	2			2	3	3	3
215	4	000-AC-GF-DWG-4110	Window jamb detail 1a							1	2			2	3	4	4
216	5	000-AC-GF-DWG-4111	Window jamb detail 1b							1	2			2	3	4	4

217	6	000-AC-GF-DWG-4120	Window head detail 2a							1	2		2	3	3	3
218	7	000-AC-GF-DWG-4121	Window head detail 2b							1	2		2	3	3	3
219	8	000-AC-GF-DWG-4130	Window sill detail 3a							1	2	3	3	4	4	4
220	9	000-AC-GF-DWG-4131	Window sill detail 3b							1	2		2	3	3	3
221	10	000-AC-GF-DWG-4140	Door jamb detail 4a							1	2		2	3	3	3
222	11	000-AC-GF-DWG-4141	Door jamb detail 4b							1	2		2	3	4	4
223	12	000-AC-GF-DWG-4150	Door head detail 5a							1	2		2	3	4	4
224	13	000-AC-GF-DWG-4151	Door head detail 5b							1	2		2	3	3	3
225	14	000-AC-GF-DWG-4160	Parapet detail							1	2		2	3	4	4
226	15	000-AC-GF-DWG-4170	Terrace balustrade detail 7a							1	2		2	3	4	4
227	16	000-AC-GF-DWG-4171	Terrace balustrade detail 7b							1	2		2	3	4	4
228	17	000-AC-GF-DWG-4180	Soffit detail							1	2		2	3	3	3
229	18	000-AC-GF-DWG-4190	Vertical control joint detail							1	2		2	3	3	3
230	19	000-AC-GF-DWG-4191	External corner detail							1	2		2	3	3	3
231	20	000-AC-GF-DWG-4192	Internal corner detail							1	2		2	3	3	3
232	21	000-AC-GF-DWG-4193	Horizontal joint detail							1			1	2	2	2
233	22	000-AC-GF-DWG-4194	Bottom of facade detail							1	2		2	3	3	3

Series 4200 Solid Metal Sheet Cladding on Steel Subframe

No.	No.	Drawing Number	Drawing Title													
234	1	000-AC-GF-DWG-4200	Content page					1		1	2	3		3	4	5
235	2	000-AC-GF-DWG-4201	Standard elevation (Horizontal orientation)					1		1	2	3		3	4	4
236	3	000-AC-GF-DWG-4202	Standard elevation (Vertical orientation)							1	2		2	3	3	3
237	4	000-AC-GF-DWG-4210	Window jamb detail 1a					1		1	2	3		3	4	5
238	5	000-AC-GF-DWG-4211	Window jamb detail 1b					1		1	2	3		3	4	5
239	6	000-AC-GF-DWG-4220	Window head detail 2a					1		1	2	3		3	4	4
240	7	000-AC-GF-DWG-4221	Window head detail 2b					1		1	2	3		3	4	4
241	8	000-AC-GF-DWG-4230	Window sill detail 3a					1		1	2	3		3	4	4
242	9	000-AC-GF-DWG-4231	Window sill detail 3b					1		1	2	3		3	4	4
243	10	000-AC-GF-DWG-4240	Door jamb detail 4a					1		1	2	3		3	4	4
244	11	000-AC-GF-DWG-4241	Door jamb detail 4b					1		1	2	3		3	4	4
245	12	000-AC-GF-DWG-4250	Door head detail 5a							1	2		2	3	3	3
246	13	000-AC-GF-DWG-4251	Door head detail 5b							1	2		2	3	3	3
247	14	000-AC-GF-DWG-4260	Parapet detail							1	2		2	3	4	4
248	15	000-AC-GF-DWG-4270	Terrace edge detail 7a								1		1	2	3	3
249	16	000-AC-GF-DWG-4271	Balcony edge detail 7b								1		1	2	3	3
250	17	000-AC-GF-DWG-4280	Soffit detail 8a								1		1	2	3	3
251	18	000-AC-GF-DWG-4281	Roof soffit detail 8b								1		1	2	3	3
252	19	000-AC-GF-DWG-4282	Soffit detail 8c												1	1
253	20	000-AC-GF-DWG-4290	Vertical control joint detail								1		1	2	2	2
254	21	000-AC-GF-DWG-4291	External corner detail							1	2		2	3	3	3
255	22	000-AC-GF-DWG-4292	Internal corner detail							1	2		2	3	3	3
256	23	000-AC-GF-DWG-4294	Bottom of façade detail							1	2		2	3	3	3

Series 5000 Engineered Ceramic Cladding Systems Panel Generic

No.	No.	Drawing Number	Drawing Title													
257	1	000-AC-GF-DWG-5000	Content page							1	2	3	4	4	4	4
258	2	000-AC-GF-DWG-5001	Design standards										1	2	2	2
259	3	000-AC-GF-DWG-5011	Material specification							1	2	3	4	4	4	4

Series 5100 Engineered Ceramic Cladding Systems Panel on Masonry Substrate

No.	No.	Drawing Number	Drawing Title													
260	1	000-AC-GF-DWG-5100	Content page							1	2		3	3	3	3
261	2	000-AC-GF-DWG-5101	Standard elevation							1	2		3	3	3	3
262	3	000-AC-GF-DWG-5110	Window jamb detail 1a							1	2		3	3	3	3
263	4	000-AC-GF-DWG-5111	Window jamb detail 1b							1	2		3	3	3	3
264	5	000-AC-GF-DWG-5120	Window head detail 2a							1	2		3	3	3	3
265	6	000-AC-GF-DWG-5121	Window head detail 2b							1	2		3	3	3	3
266	7	000-AC-GF-DWG-5130	Window sill detail 3a							1	2		3	3	4	4
267	8	000-AC-GF-DWG-5131	Window sill detail 3b							1	2		3	3	4	4
268	9	000-AC-GF-DWG-5140	Door jamb detail							1	2		3	3	3	3
269	10	000-AC-GF-DWG-5150	Door head detail							1	2		3	3	3	3
270	11	000-AC-GF-DWG-5160	Top of parapet details							1	2		3	3	4	4
271	12	000-AC-GF-DWG-5170	Balcony balustrade detail 7a							1	2		3	3	4	4
272	13	000-AC-GF-DWG-5171	Balcony balustrade detail 7b							1	2		3	3	4	4
273	14	000-AC-GF-DWG-5180	Soffit detail							1	2		3	3	3	3
274	15	000-AC-GF-DWG-5190	Vertical control joint detail							1	2		3	3	3	3
275	16	000-AC-GF-DWG-5191	External corner detail							1	2		3	3	3	3
276	17	000-AC-GF-DWG-5192	Internal corner detail							1	2		3	3	3	3
277	18	000-AC-GF-DWG-5193	Horizontal joint detail							1	2		3	3	3	3
278	19	000-AC-GF-DWG-5194	Bottom of façade detail							1	2		3	3	3	3
279	20	000-AC-GF-DWG-5195	Bottom of façade detail							1	2		3	4	4	4

Series 6000 Bonded Laminate Cladding Generic

No.	No.	Drawing Number	Drawing Title													
280	1	000-AC-GF-DWG-6000	Content page								1		1	2	2	2
281	2	000-AC-GF-DWG-6011	Material specification								1		1	2	2	3
282	3	000-AC-GF-DWG-6020	Unstiffened panel detail								1		1	2	2	2
283	4	000-AC-GF-DWG-6023	Stiffened panel detail								1		1	2	2	2
284	5	000-AC-GF-DWG-6030	Horizontal panel joint details											1	1	2
285	6	000-AC-GF-DWG-6031	Vertical panel joint detail											1	1	2
286	7	000-AC-GF-DWG-6032	Vertical panel joint detail (panel with stiffeners)												1	1
287	8	000-AC-GF-DWG-6033	Stiffener corner detail												1	1
288	9	000-AC-GF-DWG-6034	Stiffener connections detail												1	1
289	10	000-AC-GF-DWG-6035	Stiffener connections detail												1	1
290	11	000-AC-GF-DWG-6037	Panel corner stiffener detail												1	1

Series 6100 Bonded Laminate Cladding on Masonry Substrate

No.	No.	Drawing Number	Drawing Title													
291	1	000-AC-GF-DWG-6100	Content page								1		1	2	2	3
292	2	000-AC-GF-DWG-6101	Standard elevation								1		1	2	3	3
293	3	000-AC-GF-DWG-6110	Window jamb detail 1a								1		1	2	2	3
294	4	000-AC-GF-DWG-6111	Window jamb detail 1b								1		1	2	2	3

