

1c - ALTERNATIVE WINDOW JAMB SECTION (PLAN VIEW)


SCALE 1 : 2

- * FOR MASONRY FIXING DETAILS
REFER TO TYPICAL TOP HAT FIXING
DETAILS PACKAGE
- ** NON-COMBUSTIBLE PACKERS OR
TOP HAT CLEAT SYSTEM AS REQUIRED
- *** CAVITY FIRE BARRIER TYPE AND INSTALLATION
TO MEET CAVITY SIZE REQUIREMENTS
AND SUPPLIERS GUIDELINES
- **** DESIGNERS TO ASSESS REQUIREMENTS FOR
SLOTTED HOLE PANEL FIXING TO ADDRESS
THERMAL PERFORMANCE

NOTES:

Specifications

000-AC-GF-DWG-0101, 0102, 0103,
0104, 0105, 0107, 0108 , 6011




Detail 1

000-AC-GF-DWG-6101

LEGEND:

- EXISTING STRUCTURE
NOT SUBJECT TO
REMEDIAL WORKS
- APPROXIMATE LOCATION OF
EXISTING WALL CLADDING



TITLE	WINDOW JAMB DETAIL 1c
-------	-----------------------

CLADDING	BONDED LAMINATE
----------	-----------------

SUBSTRATE	MASONRY	Rev
-----------	---------	-----

DWG NUMBER	000-AC-GF-DWG-6112	3
------------	--------------------	---