


NOTES:


Specifications
000-AC-GF-DWG-0101, 0102, 0103,
0104, 0105, 0107, 0108, 3011



Detail 2
000-AC-GF-DWG-3101

LEGEND:

- EXISTING STRUCTURE NOT SUBJECT TO REMEDIAL WORKS
- DIMENSION TO BE DETERMINED UPON INTRUSIVE INVESTIGATION
- APPROXIMATE LOCATION OF EXISTING WALL CLADDING




TITLE WINDOW HEAD DETAIL 2a

CLADDING SOLID ALUMINIUM

SUBSTRATE MASONRY Rev

DWG NUMBER 000-AC-GF-DWG-3120 7



2a - WINDOW HEAD SECTION

SCALE 1 : 2

- * FOR MASONRY FIXING DETAILS REFER TO TYPICAL TOP HAT FIXING DETAILS PACKAGE
- ** NON-COMBUSTIBLE PACKERS OR TOP HAT CLEAT SYSTEM AS REQUIRED
- *** CAVITY FIRE BARRIER TYPE AND INSTALLATION TO MEET CAVITY SIZE REQUIREMENTS AND SUPPLIERS GUIDELINES
- **** DESIGNERS TO ASSESS REQUIREMENTS FOR SLOTTED HOLE PANEL FIXING TO ADDRESS THERMAL PERFORMANCE