


1b - ALTERNATIVE WINDOW JAMB SECTION

SCALE 1 : 2

- * FOR STUD FIXING DETAILS
REFER TO TYPICAL TOP HAT FIXING
DETAILS PACKAGE
- ** NON-COMBUSTIBLE PACKERS OR
TOP HAT CLEAT SYSTEM AS REQUIRED
- *** CAVITY FIRE BARRIER TYPE AND INSTALLATION
TO MEET CAVITY SIZE REQUIREMENTS
AND SUPPLIERS GUIDELINES
- **** DESIGNERS TO ASSESS REQUIREMENTS FOR
SLOTTED HOLE PANEL FIXING TO ADDRESS
THERMAL PERFORMANCE



NOTES:


Specifications
000-AC-GF-DWG-0101, 0102, 0103,
0104, 0105, 0107, 0108 , 3011



Detail 1
000-AC-GF-DWG-3201

LEGEND:

-  EXISTING STRUCTURE
NOT SUBJECT TO
REMEDIAL WORKS
-  APPROXIMATE LOCATION OF
EXISTING WALL CLADDING



TITLE WINDOW JAMB DETAIL 1b

CLADDING SOLID ALUMINIUM

SUBSTRATE STEEL FRAMING Rev

DWG NUMBER 000-AC-GF-DWG-3211 6